

Microsoft[®] Virtual Labs

Module 1: Getting Started

Microsoft[®]

Table of Contents

AdventureWorks Module 1: Getting Started.....	1
Exercise 1 Adventure Works Walkthrough	2
Exercise 2 Development Tools and Web Part Solution	17

AdventureWorks Module 1: Getting Started

Objectives

After completing this lab, you will be better able to:

- Deploy a web part using the Visual Studio extensions
- Explore Adventure Works using SharePoint Designer 2007

Scenario

The purpose of this lab is to introduce you to the Adventure Works site, where you will explore some common interface elements used throughout the site such as login/registration controls and search. You will also explore Central Administration in order to gain an understanding as to how the site is configured.

You will then use the Visual Studio Extensions for Windows SharePoint Services v1.2 to deploy a custom web part to the Adventure Works site.

Estimated Time to Complete This Lab

60 Minutes

Computers used in this Lab



Image014-5



The password for the Administrator account on all computers in this lab is:
pass@word1




Exercise 1




Adventure Works Walkthrough


Scenario



In this exercise, you will be taken around the Adventure Works site to explore its interface elements.

Tasks	Detailed Steps
<p>Complete the following tasks on:</p> <p> Image014-5</p> <ol style="list-style-type: none"> Register a new user account in Adventure Works 	<p><i>Note: The Adventure Works SharePoint web application provides two entry points; a private authoring site which uses Windows Authentication (http://authoring.adventure-works.com) and a public facing web site which uses Forms Based Authentication (http://www.adventure-works.com).</i></p> <ol style="list-style-type: none"> Open Internet Explorer and browse to the Adventure Works homepage: http://www.adventure-works.com  <p><i>Note: Notice that this is the public entry point for Adventure Works and is running under Forms Based Authentication.</i></p>




Tasks	Detailed Steps
	<p>Note: The Adventure Works homepage features a Register panel which facilitates self service member registration. A link to registration is also present in the top navigation of the site.</p>   <p>b. Click on the Register button on the homepage to navigate to the registration page.</p> <p>c. On the registration page, fill in all the details and click Register to create an account on the site.</p> <ul style="list-style-type: none"> ▪ Name: labuser ▪ E-mail: labuser@adventure-works.com ▪ Password: pass@word1 <p>Note: If the registration is successful you will see a Thank you page indicating that the account has been created.</p>  <p>d. Close and re-open the browser or hit logout button.</p>
<p>2. Login using new account</p>	<p>Note: Now that you have registered, you can login with your new account.</p> <p>a. Browse to the Adventure Works homepage (http://www.adventure-works.com).</p> <p>b. Login to the site with the same account you just registered in the previous task.</p>

Tasks	Detailed Steps
	<p>Note: Notice the homepage now displays a personalized profile view in place of the login box.</p> 
<p>3. Explore My Adventure Works</p>	<p>Note: Adventure Works provides a personal profile page and My Site integration, which is called My Adventure Works.</p> <p>a. Click on the My Adventure Works link in the top navigation.</p> <p>Note: When you click on this link, SharePoint will create you a new My Site site collection. Adventure Works uses the My Site functionality in order to provide users with a personal picture gallery, blog and other features such as messages.</p>  <p>Note: Once the My Site has been created, you will be redirected to your My Adventure Works homepage.</p>  <p>Note: The My Adventure Works homepage exposes a number of social networking features, some are based on out of the box SharePoint features and others are custom features.</p> <p>The personal details information is store in the Shared Service Provider. My Buddies is actually using the SharePoint Colleagues functionality. My Messages uses a custom list in the user's My Site site collection and My Gallery uses the image gallery</p>

Tasks	Detailed Steps
	<p><i>document library in the My Site.</i></p> <p><i>These features will be covered in greater detail in Module 9: Enabling social networking for your site.</i></p>
<p>4. Explore the Silverlight application</p>	<p>a. Browse to the Adventure Works homepage (http://www.adventure-works.com).</p> <p><i>Note: On the homepage, there is a Silverlight control featured to the top right of the page. The control provides a gallery viewer which is dynamically powered via content from the site.</i></p>  <p>b. Click on one of the thumbnail images on the right of the control and observe that the large image background changes accordingly. The Silverlight application is displaying pictures from the gallery at http://www.adventure-works.com/galleries.</p> <p>c. Click on the Go To Picture Gallery link and explore the Gallery.</p> <p>d. Return to the homepage and in the Silverlight application, click on the Go To Destination guide link.</p> <p><i>Note: Destination Guides showcase some common WCM functionality. The default page (overview) and other section pages feature numerous content placeholders which can be edited by the user. The user is also able to upload and display images on the pages.</i></p> <p><i>In the right column of the page there is an image placeholder at the top followed by a custom control which aggregates the latest chat messages about the current destination from the discussion boards (http://www.adventure-works.com/community/Lists/Discussion%20Board/AllItems.aspx).</i></p>


Tasks	Detailed Steps
	<p><i>The Other Destinations area uses a Content Query WebPart to display an aggregated view of the two most recently updated Destination Guides.</i></p> 
<p>5. Add a new Destination Guide</p>	<p><i>Note: The Adventure Works site provides a site template for creating new Destination Guides. You will utilise this site template now.</i></p> <ol style="list-style-type: none"> Navigate to the authoring site (http://authoring.adventure-works.com). As this site is using Windows Authentication, you will be logged when you try to access a system page. <p><i>Note: Do this now by browsing to http://authoring.adventure-works.com/layouts/settings.aspx</i></p> <ol style="list-style-type: none"> When you are prompted to login in, login as the site administrator: <ul style="list-style-type: none"> ▪ Username: litwareinc\administrator ▪ Password: pass@word1 <p><i>Note: Once logged in you should see the Site Actions menu appear beneath the search box to the top right of the page.</i></p> <ol style="list-style-type: none"> In the Destination Guides section of the homepage, click on Scotland.  <ol style="list-style-type: none"> Click on Site Actions > Create Site.

Tasks	Detailed Steps
	<div data-bbox="542 197 971 781" data-label="Image"> </div> <p data-bbox="505 785 1430 909">f. In the Title and Description section, change the title to Glasgow, and in the Web Site Address section change the URL name to glasgow. Under the Template Selection, ensure that Adventure Works Destination Guide Site is selected in the publishing tab, and then click Create at the bottom of the page.</p> <div data-bbox="508 936 1419 1304" data-label="Image"> </div> <div data-bbox="542 1316 1036 1873" data-label="Image"> </div>




























Tasks	Detailed Steps
	<p data-bbox="505 195 1006 222">g. Wait while SharePoint creates the new site.</p> <div data-bbox="509 249 1419 436" style="border: 1px solid gray; padding: 5px;">  <p>The image shows a yellow dialog box titled "Operation in Progress" with a green progress indicator and the text "Please wait while your changes are processed."</p> </div> <p data-bbox="505 480 1419 543">h. Once completed, you should see the Overview page for the new site. At this point the page is in an unpublished state.</p> <div data-bbox="509 564 1419 1083" style="border: 1px solid gray; padding: 5px;">  <p>The image shows the "ADVENTURE WORLD" website in "Draft (0.1)" state. The status is "Checked in and viewable by authorized users." The page title is "DESTINATION GUIDES - UNITED KINGDOM - SCOTLAND - GLASGOW". The "Quick Facts" section has empty fields for Currency, Language, Timezone, and Climate. There is a "Picture gallery" section and a "CHAT ABOUT GLASGOW" section.</p> </div> <p data-bbox="505 1127 1360 1188">i. Click on the Edit Page button in the Page Editing Toolbar to switch to edit mode.</p> <p data-bbox="505 1199 1006 1228">j. Populate the page fields with some content.</p> <div data-bbox="509 1249 1419 1772" style="border: 1px solid gray; padding: 5px;">  <p>The image shows the same website in "Checked Out" edit mode. The status is "Only you can see and modify this page." The "Quick Facts" section now has input fields for Currency, Language, and Timezone. There are three "Location Image" placeholders, each with an "Edit Picture" button and a "Click to add a new picture" link. The "Page Image" section also has an "Edit Picture" button and a "Click to add a new picture" link.</p> </div> <p data-bbox="505 1816 1419 1906">k. To add a picture to the location images or the main page image on the right, click on Click to add a new picture on any of the image placeholders. This will bring up the Edit Image Properties dialog.</p>

Tasks	Detailed Steps
	<div data-bbox="548 201 1385 936" data-label="Image"> </div> <p data-bbox="505 982 1219 1014">1. Click on Browse... to pick a picture from a SharePoint gallery.</p> <div data-bbox="540 1024 1377 1759" data-label="Image"> </div> <p data-bbox="505 1801 1419 1896">m. Click on an image and click OK when done to return to the Edit Image Properties dialog. Here you be able to specify additional image properties such as Alternate text before adding the image to the placeholder.</p>

Tasks	Detailed Steps
	<p>Note: Some fields on the page, such as Page Content allow rich content and formatting. Clicking on this field will automatically bring up the RadEditor Lite toolbar. RadEditor Lite is a free third party solution from Telerik (http://www.telerik.com/products/sharepoint/lite-editor-for-asp.net.aspx) which is being used instead of the standard out-of-the-box editing toolbar that MOSS provides. This is due to the enhancements it provides when saving content as XHTML compliant.</p> <p>n. When you've finished editing the page, click the Publish button in the Page Editing Toolbar.</p> <p>Note: This will publish the page so it is no longer in a draft state and other users will be able to see the content.</p> <p>o. The published Overview page is just one of four pages, which makes up a Destination Guide. The other pages are Getting Around, Things To Do and Maps.</p> 
<p>6. Use the Adventure Works site search</p>	<p>Note: The search box is available on all pages of the site as it is included in the Adventure Works default master page. The search box is located to the top right of the page.</p> <p>a. Place the cursor inside the search box and enter Scotland and then click the Search button.</p> 

Tasks	Detailed Steps
	<p><i>Note: You will be redirected to the search results page and you should see some results for the query. The search results page uses some of the out-of-the-box SharePoint web parts which provide the results display, pagination and also the ability to sort the results by Modified Date or Relevance.</i></p>  <p>The screenshot shows a search results page titled "SEARCH RESULTS - ADVENTURE WORKS". It indicates the search term "scotland" and shows results sorted by "Relevance". There are 73 results in total, with the first 10 displayed. The results include a snippet for "Scotland" with a Latin placeholder, another for "Scotland" mentioning "brass-monkey weather", and one for "Adventure Works" describing a travel company. At the bottom, there is a "Community" section with navigation links.</p>
<p>7. Examine the site content and structure</p>	<p>a. Select Site Actions > Manage Content and Structure</p>

Tasks	Detailed Steps
	 <p>The screenshot shows the 'Site Content and Structure' interface for the 'Adventure Works' site collection. It displays a hierarchical tree view of the site's content. The root node is 'Adventure Works', which is expanded to show several sub-sites: 'Blogs', 'Community', 'Destination guides', 'Galleries', and 'WikiGuide'. Each sub-site has its own set of content types, including Documents, Images, Pages, and Workflow Tasks. The 'Blogs' sub-site includes 'Travel Experts Blog', '\$Resources:ListName_Media', and '\$Resources:ListName_Themes'. The 'Community' sub-site includes 'Discussion Board', 'Documents', 'Images', 'Messages', 'Pages', and 'Workflow Tasks'. The 'Destination guides' sub-site includes 'New Zealand', 'United Kingdom', 'USA', 'Documents', 'Images', 'LiveMapLocations', 'Pages', and 'Workflow Tasks'. The 'Galleries' sub-site includes 'Documents', 'Gallery', 'Images', 'Pages', and 'Workflow Tasks'. The 'WikiGuide' sub-site includes 'Wiki Discussions' and 'Wiki Pages'.</p> <p><i>Note: This will bring up a view of the structure of the Adventure Works site collection. You will see that the various sub-sites define the top level site structure that is used in the top navigation. Note that each sub-site has its own pages library.</i></p>
<p>8. Explore the IIS configuration</p>	<p><i>Note: In this task, you will begin exploring the server configuration in order to understand how the Adventure Works site is set up.</i></p> <ol style="list-style-type: none"> Open the IIS Manager: Start Menu > Administrative Tools > Internet Information Services (IIS) Manager Select the Web Sites node to display the details of each web site.

Tasks	Detailed Steps																																																						
	<table border="1" data-bbox="511 210 1421 441"> <tr> <td></td> <td>Default Web Site</td> <td>1</td> <td>Running</td> <td></td> <td>* All Unassigned * 80</td> </tr> <tr> <td></td> <td>AdventureworksAuthoring</td> <td>1220296851</td> <td>Running</td> <td>authoring.adventure-works.com</td> <td>* All Unassigned * 80</td> </tr> <tr> <td></td> <td>ssp.adventure-works.com</td> <td>1238384092</td> <td>Running</td> <td>ssp.adventure-works.com</td> <td>* All Unassigned * 80</td> </tr> <tr> <td></td> <td>SharedServices1</td> <td>1321545279</td> <td>Running</td> <td></td> <td>* All Unassigned * 32901</td> </tr> <tr> <td></td> <td>moss.litwareinc.com</td> <td>1417082536</td> <td>Running</td> <td>moss.litwareinc.com</td> <td>* All Unassigned * 80</td> </tr> <tr> <td></td> <td>Office Server Web Services</td> <td>1720207907</td> <td>Running</td> <td></td> <td>* All Unassigned * 56737</td> </tr> <tr> <td></td> <td>SharePoint Central Administration v3</td> <td>1992556941</td> <td>Running</td> <td></td> <td>* All Unassigned * 6147</td> </tr> <tr> <td></td> <td>Windows RMS Administration Site</td> <td>2</td> <td>Running</td> <td></td> <td>* All Unassigned * 5720</td> </tr> <tr> <td></td> <td>AdventureworksProduction</td> <td>222430070</td> <td>Running</td> <td>www.adventure-works.com</td> <td>* All Unassigned * 80</td> </tr> </table> <p data-bbox="506 489 1421 548">Note: The <i>SharePoint Central Administration v3</i> web site is running on port 6147. You can navigate to the Central Administration site from the Start Menu.</p> <p data-bbox="506 562 1421 621">Also note that <i>AdventureworksProduction</i> and <i>AdventureworksAuthoring</i> are using host headers which you will use to browse to those web sites.</p> <p data-bbox="506 636 1127 663">c. Close Internet Information Services (IIS) Manager.</p>		Default Web Site	1	Running		* All Unassigned * 80		AdventureworksAuthoring	1220296851	Running	authoring.adventure-works.com	* All Unassigned * 80		ssp.adventure-works.com	1238384092	Running	ssp.adventure-works.com	* All Unassigned * 80		SharedServices1	1321545279	Running		* All Unassigned * 32901		moss.litwareinc.com	1417082536	Running	moss.litwareinc.com	* All Unassigned * 80		Office Server Web Services	1720207907	Running		* All Unassigned * 56737		SharePoint Central Administration v3	1992556941	Running		* All Unassigned * 6147		Windows RMS Administration Site	2	Running		* All Unassigned * 5720		AdventureworksProduction	222430070	Running	www.adventure-works.com	* All Unassigned * 80
	Default Web Site	1	Running		* All Unassigned * 80																																																		
	AdventureworksAuthoring	1220296851	Running	authoring.adventure-works.com	* All Unassigned * 80																																																		
	ssp.adventure-works.com	1238384092	Running	ssp.adventure-works.com	* All Unassigned * 80																																																		
	SharedServices1	1321545279	Running		* All Unassigned * 32901																																																		
	moss.litwareinc.com	1417082536	Running	moss.litwareinc.com	* All Unassigned * 80																																																		
	Office Server Web Services	1720207907	Running		* All Unassigned * 56737																																																		
	SharePoint Central Administration v3	1992556941	Running		* All Unassigned * 6147																																																		
	Windows RMS Administration Site	2	Running		* All Unassigned * 5720																																																		
	AdventureworksProduction	222430070	Running	www.adventure-works.com	* All Unassigned * 80																																																		
<p data-bbox="181 680 423 739">9. Explore Central Administration</p>	<p data-bbox="506 680 1338 739">Note: You will now begin to explore the SharePoint configuration via Central Administration.</p> <p data-bbox="506 749 1421 808">a. Open Central Administration: Start Menu > Administrative Tools > SharePoint 3.0 Central Administration</p> <p data-bbox="506 823 1278 882">b. When prompted, log in as litwareinc\administrator using password pass@word1.</p> <p data-bbox="506 896 854 924">c. Click on the Operations tab.</p> <p data-bbox="506 938 1143 966">d. Select Global Configuration > Solution management.</p> <table border="1" data-bbox="511 980 1421 1249"> <tr> <td colspan="3">This page has a list of the Solutions in the farm.</td> </tr> <tr> <th>Name</th> <th>Status</th> <th>Deployed To</th> </tr> <tr> <td>adventureworks.controladapters.wsp</td> <td>Deployed</td> <td>http://adventureworks/</td> </tr> <tr> <td>adventureworks.corefeatures.wsp</td> <td>Deployed</td> <td>Globally deployed.</td> </tr> <tr> <td>adventureworks.sitedefinitions.wsp</td> <td>Deployed</td> <td>Globally deployed.</td> </tr> <tr> <td>adventureworks.stsadm.commands.wsp</td> <td>Deployed</td> <td>Globally deployed.</td> </tr> <tr> <td>adventureworks.usercontrols.wsp</td> <td>Deployed</td> <td>http://adventureworks/</td> </tr> <tr> <td>adventureworks.webcontrols.wsp</td> <td>Deployed</td> <td>http://adventureworks/</td> </tr> <tr> <td>adventureworks_myadventureworks.wsp</td> <td>Deployed</td> <td>http://adventureworks/</td> </tr> <tr> <td>dis.ebe.wsp</td> <td>Deployed</td> <td>Globally deployed.</td> </tr> <tr> <td>dis-ewe-wikidiscussion.wsp</td> <td>Deployed</td> <td>http://adventureworks/</td> </tr> <tr> <td>lapointe.sharepoint.stsadm.commands.wsp</td> <td>Deployed</td> <td>Globally deployed.</td> </tr> </table> <p data-bbox="506 1260 1375 1318">Note: There are a number of extra solution packages present which are deployed during the Adventure Works installation.</p> <p data-bbox="506 1333 1016 1360">e. Click on the Application Management tab.</p> <p data-bbox="506 1375 1362 1402">f. Select SharePoint Web Application Management > Web application list.</p> <table border="1" data-bbox="511 1417 1421 1606"> <tr> <th>Name</th> <th>URL</th> </tr> <tr> <td>AdventureworksAuthoring</td> <td>http://authoring.adventure-works.com/</td> </tr> <tr> <td>moss.litwareinc.com</td> <td>http://moss.litwareinc.com/</td> </tr> <tr> <td>SharedServices1</td> <td>http://moss:32901/</td> </tr> <tr> <td>SharePoint Central Administration v3</td> <td>http://moss:6147/</td> </tr> <tr> <td>ssp.adventure-works.com</td> <td>http://ssp.adventure-works.com/</td> </tr> </table> <p data-bbox="506 1659 1421 1780">Note: There are a number of SharePoint web applications present in the farm. <i>AdventureworksAuthoring</i> (the Adventure Works site) and <i>ssp.adventure-works.com</i> (the Shared Service Provider used for Adventure Works) are created by the Adventure Works installer.</p> <p data-bbox="506 1795 818 1822">g. Click the Cancel button.</p> <p data-bbox="506 1837 1421 1896">h. Select Application Security > Authentication providers and if necessary ensure http://authoring.adventure-works.com is the selected web application.</p>	This page has a list of the Solutions in the farm.			Name	Status	Deployed To	adventureworks.controladapters.wsp	Deployed	http://adventureworks/	adventureworks.corefeatures.wsp	Deployed	Globally deployed.	adventureworks.sitedefinitions.wsp	Deployed	Globally deployed.	adventureworks.stsadm.commands.wsp	Deployed	Globally deployed.	adventureworks.usercontrols.wsp	Deployed	http://adventureworks/	adventureworks.webcontrols.wsp	Deployed	http://adventureworks/	adventureworks_myadventureworks.wsp	Deployed	http://adventureworks/	dis.ebe.wsp	Deployed	Globally deployed.	dis-ewe-wikidiscussion.wsp	Deployed	http://adventureworks/	lapointe.sharepoint.stsadm.commands.wsp	Deployed	Globally deployed.	Name	URL	AdventureworksAuthoring	http://authoring.adventure-works.com/	moss.litwareinc.com	http://moss.litwareinc.com/	SharedServices1	http://moss:32901/	SharePoint Central Administration v3	http://moss:6147/	ssp.adventure-works.com	http://ssp.adventure-works.com/						
This page has a list of the Solutions in the farm.																																																							
Name	Status	Deployed To																																																					
adventureworks.controladapters.wsp	Deployed	http://adventureworks/																																																					
adventureworks.corefeatures.wsp	Deployed	Globally deployed.																																																					
adventureworks.sitedefinitions.wsp	Deployed	Globally deployed.																																																					
adventureworks.stsadm.commands.wsp	Deployed	Globally deployed.																																																					
adventureworks.usercontrols.wsp	Deployed	http://adventureworks/																																																					
adventureworks.webcontrols.wsp	Deployed	http://adventureworks/																																																					
adventureworks_myadventureworks.wsp	Deployed	http://adventureworks/																																																					
dis.ebe.wsp	Deployed	Globally deployed.																																																					
dis-ewe-wikidiscussion.wsp	Deployed	http://adventureworks/																																																					
lapointe.sharepoint.stsadm.commands.wsp	Deployed	Globally deployed.																																																					
Name	URL																																																						
AdventureworksAuthoring	http://authoring.adventure-works.com/																																																						
moss.litwareinc.com	http://moss.litwareinc.com/																																																						
SharedServices1	http://moss:32901/																																																						
SharePoint Central Administration v3	http://moss:6147/																																																						
ssp.adventure-works.com	http://ssp.adventure-works.com/																																																						

Tasks	Detailed Steps																						
	<div data-bbox="506 197 1425 300" style="border: 1px solid #ccc; padding: 5px;"> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="2" style="text-align: right;">Web Application: http://authoring.adventure-works.com/</td> </tr> <tr> <td style="width: 30%;">Zone</td> <td>Membership Provider Name</td> </tr> <tr> <td>Default</td> <td>Windows</td> </tr> <tr> <td>Internet</td> <td>fbaMembers</td> </tr> </table> </div> <p data-bbox="506 344 1425 405">Note: The Adventure Works web application uses two zones. The Default zone and the Internet zone.</p> <p data-bbox="506 417 837 447">i. Click on the Internet zone.</p> <div data-bbox="513 470 1425 1407" style="border: 1px solid #ccc; padding: 5px;"> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">Web Application</td> <td style="width: 50%;">Web Application: http://authoring.adventure-works.com/</td> </tr> <tr> <td>Zone These authentication settings are bound to the following zone.</td> <td>Zone Internet</td> </tr> <tr> <td>Authentication Type Choose the type of authentication you want to use for this zone. Learn about configuring authentication.</td> <td>Authentication Type <input type="radio"/> Windows <input checked="" type="radio"/> Forms <input type="radio"/> Web single sign on </td> </tr> <tr> <td>Anonymous Access You can enable anonymous access for sites on this server or disallow anonymous access for all sites. Enabling anonymous access allows site administrators to turn anonymous access on. Disabling anonymous access blocks anonymous users in the web.config file for this zone.</td> <td><input checked="" type="checkbox"/> Enable anonymous access</td> </tr> <tr> <td>Membership Provider Name Enter the name of the membership provider. The membership provider must be correctly configured in the web.config file for the IIS Web site that hosts SharePoint content on each Web server. It must also be added to the web.config file for IIS site that hosts Central Administration.</td> <td>Membership provider name: <input style="width: 100%;" type="text" value="fbaMembers"/></td> </tr> <tr> <td>Role Manager Name Enter the name of the role manager (optional). The role manager must be correctly configured in the web.config file for this zone.</td> <td>Role manager name: <input style="width: 100%;" type="text" value="fbaRoles"/></td> </tr> <tr> <td>Client Integration Disabling client integration will remove features which launch client applications. Some authentication mechanisms (such as Forms) don't work well with client applications. In this configuration, users will have to work on documents locally and upload their changes.</td> <td>Enable Client Integration? <input type="radio"/> Yes <input checked="" type="radio"/> No</td> </tr> </table> </div> <p data-bbox="506 1417 1425 1507">Note: This zone is configured to use forms based authentication via the fbaMembers membership provider and fbaRoles role manager. Anonymous access is enabled for this zone.</p> <p data-bbox="506 1520 1192 1549">j. Click the Cancel button and then click on the Default zone.</p>	Web Application: http://authoring.adventure-works.com/		Zone	Membership Provider Name	Default	Windows	Internet	fbaMembers	Web Application	Web Application: http://authoring.adventure-works.com/	Zone These authentication settings are bound to the following zone.	Zone Internet	Authentication Type Choose the type of authentication you want to use for this zone. Learn about configuring authentication.	Authentication Type <input type="radio"/> Windows <input checked="" type="radio"/> Forms <input type="radio"/> Web single sign on	Anonymous Access You can enable anonymous access for sites on this server or disallow anonymous access for all sites. Enabling anonymous access allows site administrators to turn anonymous access on. Disabling anonymous access blocks anonymous users in the web.config file for this zone.	<input checked="" type="checkbox"/> Enable anonymous access	Membership Provider Name Enter the name of the membership provider. The membership provider must be correctly configured in the web.config file for the IIS Web site that hosts SharePoint content on each Web server. It must also be added to the web.config file for IIS site that hosts Central Administration.	Membership provider name: <input style="width: 100%;" type="text" value="fbaMembers"/>	Role Manager Name Enter the name of the role manager (optional). The role manager must be correctly configured in the web.config file for this zone.	Role manager name: <input style="width: 100%;" type="text" value="fbaRoles"/>	Client Integration Disabling client integration will remove features which launch client applications. Some authentication mechanisms (such as Forms) don't work well with client applications. In this configuration, users will have to work on documents locally and upload their changes.	Enable Client Integration? <input type="radio"/> Yes <input checked="" type="radio"/> No
Web Application: http://authoring.adventure-works.com/																							
Zone	Membership Provider Name																						
Default	Windows																						
Internet	fbaMembers																						
Web Application	Web Application: http://authoring.adventure-works.com/																						
Zone These authentication settings are bound to the following zone.	Zone Internet																						
Authentication Type Choose the type of authentication you want to use for this zone. Learn about configuring authentication.	Authentication Type <input type="radio"/> Windows <input checked="" type="radio"/> Forms <input type="radio"/> Web single sign on																						
Anonymous Access You can enable anonymous access for sites on this server or disallow anonymous access for all sites. Enabling anonymous access allows site administrators to turn anonymous access on. Disabling anonymous access blocks anonymous users in the web.config file for this zone.	<input checked="" type="checkbox"/> Enable anonymous access																						
Membership Provider Name Enter the name of the membership provider. The membership provider must be correctly configured in the web.config file for the IIS Web site that hosts SharePoint content on each Web server. It must also be added to the web.config file for IIS site that hosts Central Administration.	Membership provider name: <input style="width: 100%;" type="text" value="fbaMembers"/>																						
Role Manager Name Enter the name of the role manager (optional). The role manager must be correctly configured in the web.config file for this zone.	Role manager name: <input style="width: 100%;" type="text" value="fbaRoles"/>																						
Client Integration Disabling client integration will remove features which launch client applications. Some authentication mechanisms (such as Forms) don't work well with client applications. In this configuration, users will have to work on documents locally and upload their changes.	Enable Client Integration? <input type="radio"/> Yes <input checked="" type="radio"/> No																						

Tasks	Detailed Steps												
	<div data-bbox="509 216 1425 1003" style="border: 1px solid #0070C0; padding: 5px;"> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">Web Application</td> <td>Web Application: http://authoring.adventure-works.com/</td> </tr> <tr> <td>Zone These authentication settings are bound to the following zone.</td> <td>Zone Default</td> </tr> <tr> <td>Authentication Type Choose the type of authentication you want to use for this zone. Learn about configuring authentication.</td> <td>Authentication Type <input checked="" type="radio"/> Windows <input type="radio"/> Forms <input type="radio"/> Web single sign on </td> </tr> <tr> <td>Anonymous Access You can enable anonymous access for sites on this server or disallow anonymous access for all sites. Enabling anonymous access allows site administrators to turn anonymous access on. Disabling anonymous access blocks anonymous users in the web.config file for this zone.</td> <td><input checked="" type="checkbox"/> Enable anonymous access</td> </tr> <tr> <td>IIS Authentication Settings Kerberos is the recommended security configuration to use with Integrated Windows authentication. Kerberos requires the application pool account to be Network Service or special configuration by the domain administrator. NTLM authentication will work with any application pool account and the default domain configuration.</td> <td> <input checked="" type="checkbox"/> Integrated Windows authentication <input type="radio"/> Negotiate (Kerberos) <input checked="" type="radio"/> NTLM <input type="checkbox"/> Basic authentication (password is sent in clear text) </td> </tr> <tr> <td>Client Integration Disabling client integration will remove features which launch client applications. Some authentication mechanisms (such as Forms) don't work well with client applications. In this configuration, users will have to work on documents locally and upload their changes.</td> <td>Enable Client Integration? <input checked="" type="radio"/> Yes <input type="radio"/> No </td> </tr> </table> </div> <p>Note: This zone is configured to use Windows authentication via NTLM, and anonymous access is enabled.</p>	Web Application	Web Application: http://authoring.adventure-works.com/	Zone These authentication settings are bound to the following zone.	Zone Default	Authentication Type Choose the type of authentication you want to use for this zone. Learn about configuring authentication.	Authentication Type <input checked="" type="radio"/> Windows <input type="radio"/> Forms <input type="radio"/> Web single sign on	Anonymous Access You can enable anonymous access for sites on this server or disallow anonymous access for all sites. Enabling anonymous access allows site administrators to turn anonymous access on. Disabling anonymous access blocks anonymous users in the web.config file for this zone.	<input checked="" type="checkbox"/> Enable anonymous access	IIS Authentication Settings Kerberos is the recommended security configuration to use with Integrated Windows authentication. Kerberos requires the application pool account to be Network Service or special configuration by the domain administrator. NTLM authentication will work with any application pool account and the default domain configuration.	<input checked="" type="checkbox"/> Integrated Windows authentication <input type="radio"/> Negotiate (Kerberos) <input checked="" type="radio"/> NTLM <input type="checkbox"/> Basic authentication (password is sent in clear text)	Client Integration Disabling client integration will remove features which launch client applications. Some authentication mechanisms (such as Forms) don't work well with client applications. In this configuration, users will have to work on documents locally and upload their changes.	Enable Client Integration? <input checked="" type="radio"/> Yes <input type="radio"/> No
Web Application	Web Application: http://authoring.adventure-works.com/												
Zone These authentication settings are bound to the following zone.	Zone Default												
Authentication Type Choose the type of authentication you want to use for this zone. Learn about configuring authentication.	Authentication Type <input checked="" type="radio"/> Windows <input type="radio"/> Forms <input type="radio"/> Web single sign on												
Anonymous Access You can enable anonymous access for sites on this server or disallow anonymous access for all sites. Enabling anonymous access allows site administrators to turn anonymous access on. Disabling anonymous access blocks anonymous users in the web.config file for this zone.	<input checked="" type="checkbox"/> Enable anonymous access												
IIS Authentication Settings Kerberos is the recommended security configuration to use with Integrated Windows authentication. Kerberos requires the application pool account to be Network Service or special configuration by the domain administrator. NTLM authentication will work with any application pool account and the default domain configuration.	<input checked="" type="checkbox"/> Integrated Windows authentication <input type="radio"/> Negotiate (Kerberos) <input checked="" type="radio"/> NTLM <input type="checkbox"/> Basic authentication (password is sent in clear text)												
Client Integration Disabling client integration will remove features which launch client applications. Some authentication mechanisms (such as Forms) don't work well with client applications. In this configuration, users will have to work on documents locally and upload their changes.	Enable Client Integration? <input checked="" type="radio"/> Yes <input type="radio"/> No												
<p>10. Explore the Adventure Works Shared Services provider</p>	<p>Note: Adventure Works uses it's own Shared Service Provider which is created during the install process. You will explore this now.</p> <p>a. Click on the ssp.adventure-works.com link in the quick launch panel on the left.</p> <div data-bbox="821 1205 1078 1608" style="border: 1px solid #0070C0; padding: 5px; margin: 10px 0;"> <p style="text-align: center; color: #0070C0;">View All Site Content</p> <p style="text-align: center; color: #0070C0; font-weight: bold;">Central Administration</p> <ul style="list-style-type: none"> <li style="margin-bottom: 5px;">■ Operations <li style="margin-bottom: 5px;">■ Application Management <p style="text-align: center; color: #0070C0; font-weight: bold;">Shared Services Administration</p> <ul style="list-style-type: none"> <li style="margin-bottom: 5px;">■ ssp.adventure-works.com <p style="text-align: center; color: #0070C0; font-weight: bold;">Recycle Bin</p> </div> <p>b. Select User Profiles and My Sites > View profile properties.</p> <p>c. Click on User Profile Properties > View profile properties.</p> <p>d. Scroll to the foot of the properties page to the Adventure Works Properties section. This section contains two custom properties, Country and Gender.</p>												


Tasks	Detailed Steps						
	<div data-bbox="509 216 1427 396" style="border: 1px solid #0070C0; padding: 5px;"> <p>> Adventure Works Properties ^ v Section</p> <p>Country ^ v string</p> <p>Gender ^ string</p> </div> <p>e. Return to the Shared Service Provider homepage.</p> <p>f. Select User Profiles and My Sites > Personalization service permissions.</p> <p><i>Note: Notice the Forms based authentication specific users are granted permissions here</i></p> <div data-bbox="509 611 1427 667" style="border: 1px solid #0070C0; padding: 5px;"> <table border="0"> <tr> <td><input type="checkbox"/></td> <td>fbaroles:awadmins</td> <td>Manage Analytics, Manage Audiences, Manage User Profiles, Personal Features, Personal Site, Set Permissions</td> </tr> <tr> <td><input type="checkbox"/></td> <td>fbaroles:allusers</td> <td>Personal Features, Personal Site</td> </tr> </table> </div> <p>g. Close Internet Explorer.</p>	<input type="checkbox"/>	fbaroles:awadmins	Manage Analytics, Manage Audiences, Manage User Profiles, Personal Features, Personal Site, Set Permissions	<input type="checkbox"/>	fbaroles:allusers	Personal Features, Personal Site
<input type="checkbox"/>	fbaroles:awadmins	Manage Analytics, Manage Audiences, Manage User Profiles, Personal Features, Personal Site, Set Permissions					
<input type="checkbox"/>	fbaroles:allusers	Personal Features, Personal Site					

Exercise 2

Development Tools and Web Part Solution

Scenario




In this exercise, you will deploy a web part using the Visual Studio extensions for Windows SharePoint Services (VSeWSS) v1.2 and explore Adventure Works using SharePoint Designer 2007.

Tasks	Detailed Steps
<p>Complete the following tasks on:</p> <p> Image014-5</p> <p>1. Create and deploy a web part</p>	<p><i>Note: First of all, you will create and deploy a new web part using the VSeWSS 1.2 in Visual Studio 2008.</i></p> <ol style="list-style-type: none"> Open Microsoft Visual Studio 2008 from Start Programs Microsoft Visual Studio 2008 Microsoft Visual Studio 2008 In Visual Studio, select File > New > Project... Expand the Visual C# node and click on Sharepoint, then click WebPart under Templates. Change the project name from WebPart1 to AdventureWorks.WebParts, and click OK. <div data-bbox="558 877 1377 1432" data-label="Image"> </div> <p><i>Note: The project created contains a folder called WebPart1, which contains 3 files also called WebPart1. For this demo, you will change the name of the web part to something more relevant - HelloWorld.</i></p> <ol style="list-style-type: none"> Right-click the WebPart1 folder, and select Delete. Click OK on confirm dialog box. Right-click the project name AdventureWorks.WebParts in the Solution Explorer window, and select Add > New Item... In the Add New Item window under Visual C#, click on SharePoint, then select the Web Part item and rename WebPart1 to HelloWorld. Click Add.



Tasks	Detailed Steps
	<div data-bbox="753 195 1179 632" data-label="Image"> </div> <p data-bbox="505 678 1398 741"><i>Note: HelloWorld.cs is the web part control, and will be the location of the code to display some text on the screen.</i></p> <p data-bbox="505 749 1135 781"><i>HelloWorld.webpart is the xml which defines the web part.</i></p> <p data-bbox="505 789 1386 852"><i>HelloWorld.xml is the xml which tells SharePoint what the feature consists of and where it should be located.</i></p> <ol style="list-style-type: none"> <li data-bbox="505 863 1370 894">i. Open the HelloWorld.webpart file, and update the title and description. E.g. <div data-bbox="544 900 1414 1035" data-label="Code-Block"> <pre><property name="Title" type="string">Hello world web Part</property> <property name="Description" type="string">Hello world Example</property></pre> </div> <li data-bbox="505 1045 792 1077">j. Save and close the file. <li data-bbox="505 1087 1252 1119">k. Open the HelloWorld.cs file, and uncomment the following lines: <div data-bbox="544 1125 1024 1234" data-label="Code-Block"> <pre>// Label label = new Label(); // label.Text = "Hello world"; // this.Controls.Add(label);</pre> </div> <li data-bbox="505 1245 792 1276">l. Save and close the file. <li data-bbox="505 1287 1341 1381">m. Right-click the project name AdventureWorks.WebParts in the Solution Explorer window, and select Properties. (If you don't have the Solution Explorer visible, go to View > Solution Explorer.) <li data-bbox="505 1392 1398 1455">n. In the main window along the left column, select the Debug tab, and change the Configuration dropdown to All Configurations. <li data-bbox="505 1465 1422 1528">o. Under the Start Action section, make sure the Start browser with URL option is selected and update the URL to http://authoring.adventure-works.com/. <li data-bbox="505 1539 1162 1570">p. Switch to Debug mode in the Configuration drop-down.. <li data-bbox="505 1581 1430 1665">q. Right-click the solution name Solution 'AdventureWorks.WebParts' (1 project) in the Solution Explorer window, and select Deploy. (You can access the same command via Build Deploy Solution from the main menu bar.) <li data-bbox="505 1675 1422 1738">r. If success, you should see Deploy succeeded in the status at the bottom left of the Visual Studio screen. <li data-bbox="505 1749 813 1780">s. Minimize Visual Studio. <li data-bbox="505 1791 1406 1854">t. Confirm the solution has been successfully deployed. Open SharePoint Central Administration: Start SharePoint 3.0 Central Administration <li data-bbox="505 1864 1349 1917">u. Select the Operations tab. Under the Global Configuration section, select Solution Management.


Tasks	Detailed Steps										
	<div data-bbox="558 197 899 315" data-label="Image"> </div> <p data-bbox="505 359 1224 388">v. Confirm adventureworks.webparts.wsp marked as Deployed.</p> <table border="1" data-bbox="509 401 1430 533"> <tr> <td>adventureworks.usercontrols.wsp</td> <td>Deployed</td> </tr> <tr> <td>adventureworks.webcontrols.wsp</td> <td>Deployed</td> </tr> <tr> <td>adventureworks.webparts.wsp</td> <td>Deployed</td> </tr> <tr> <td>adventureworks_myadventureworks.wsp</td> <td>Deployed</td> </tr> <tr> <td>cks.ebe.wsp</td> <td>Deployed</td> </tr> </table>	adventureworks.usercontrols.wsp	Deployed	adventureworks.webcontrols.wsp	Deployed	adventureworks.webparts.wsp	Deployed	adventureworks_myadventureworks.wsp	Deployed	cks.ebe.wsp	Deployed
adventureworks.usercontrols.wsp	Deployed										
adventureworks.webcontrols.wsp	Deployed										
adventureworks.webparts.wsp	Deployed										
adventureworks_myadventureworks.wsp	Deployed										
cks.ebe.wsp	Deployed										
<p data-bbox="185 590 464 648">2. Add a web part to a web part page</p>	<p data-bbox="505 585 1414 646"><i>Note: Now that the web part has been deployed to the farm, it needs to be added to a page in the Adventure Works site.</i></p> <ol data-bbox="505 657 1425 936" style="list-style-type: none"> Open a new browser and navigate to http://authoring.adventureworks.com/ layouts/settings.aspx. Login in as litwareinc\administrator with password pass@word1 (you may be already logged-in). The Site Actions menu should appear in the top right hand corner. Select Site Actions Create Page. On the Create Page, add the following values. When these have been added, click Create. <table border="1" data-bbox="553 947 1216 1121"> <tr> <td>Title:</td> <td>Hello World</td> </tr> <tr> <td>Description:</td> <td>(optional)</td> </tr> <tr> <td>URL Name:</td> <td>Pages/wpp.aspx</td> </tr> <tr> <td>Page Layout:</td> <td>(Welcome Page) Blank Web Part Page</td> </tr> </table> <ol data-bbox="505 1131 1338 1161" style="list-style-type: none"> Pick a zone, such as the Header, and click on the Add a WebPart button. <div data-bbox="509 1169 1419 1667" data-label="Image"> </div> <ol data-bbox="505 1688 1425 1749" style="list-style-type: none"> On the Add Web Parts window, scroll down to the Miscellaneous section, where you should see the HelloWorld Web Part. 	Title:	Hello World	Description:	(optional)	URL Name:	Pages/wpp.aspx	Page Layout:	(Welcome Page) Blank Web Part Page		
Title:	Hello World										
Description:	(optional)										
URL Name:	Pages/wpp.aspx										
Page Layout:	(Welcome Page) Blank Web Part Page										

Tasks	Detailed Steps
	<div data-bbox="583 216 1333 957" data-label="Image"> </div> <p data-bbox="505 1003 1398 1102"> h. Check the checkbox beside the HelloWorld Web Part, and click Add. i. When the web part has been added, click the Publish button on the page editing toolbar. </p> <div data-bbox="509 1115 1430 1339" data-label="Image"> </div> <p data-bbox="505 1381 1013 1413"> <i>Note: The page now displays the new web part.</i> </p>
<p data-bbox="185 1430 467 1520"> 3. Retract the solution and remove the web part </p>	<p data-bbox="505 1430 1430 1486"> <i>Note: Next you will make some modifications to the web part, but first you will remove the web part from the farm.</i> </p> <ol style="list-style-type: none"> <li data-bbox="505 1499 1057 1530"> a. Open Command Prompt: Start Run... cmd <li data-bbox="505 1539 1430 1703"> b. At the prompt, type:\ <pre data-bbox="542 1577 1268 1703"> cd C:\Documents and Settings\Administrator\My Documents\Visual Studio 2008\Projects\AdventureWorks.WebParts\AdventureWorks.WebParts\bin\Debug </pre> <p data-bbox="505 1713 1344 1774"> <i>Note: (If you put your project in a different location, change the path to match location of your project)</i> </p> <p data-bbox="505 1785 1382 1845"> <i>VSeWSS has created a setup.bat file which you can use to install and uninstall the solution.</i> </p> <ol style="list-style-type: none"> <li data-bbox="505 1856 792 1887"> c. To view the help, type:

Tasks	Detailed Steps
	<p data-bbox="544 193 738 226">Setup.bat /?</p>   <p data-bbox="505 1173 943 1205">d. Now uninstall the solution by typing:</p> <p data-bbox="544 1211 863 1245">Setup.bat /uninstall</p> <p data-bbox="505 1308 1406 1369"><i>Note: Although this has removed the solution, the web part is still in the gallery and will cause an error on the web page.</i></p>  <p data-bbox="505 1829 1354 1860">e. Browse to http://authoring.adventure-works.com/ layouts/settings.aspx</p> <p data-bbox="505 1869 1011 1900">f. Login as administrator if you are prompted.</p>

Tasks	Detailed Steps
	<p>g. Browse to http://authoring.adventure-works.com/pages/wpp.aspx.</p> <p>h. Select Site Actions Edit Page.</p> <p>i. In the menu bar of the problem web part, select edit Delete. Click OK on the confirm dialog box.</p> <p>j. Add ?contents=1 to the end of the URL to get to the web part maintenance page. http://authoring.adventure-works.com/pages/wpp.aspx?contents=1</p> <p>k. If there is a checkbox for “Error,” check it and click the Delete button.</p> <p>l. Next, select Site Actions Site Settings Modify All Site Settings.</p> <p>m. On the Site Settings page, under the Galleries section, select Web Parts.</p> <p>n. You should see the HelloWorld.webpart still listed. Click the Edit icon to the right.</p> <p>o. Click the Delete Item button, and click the OK button on the confirm dialog box.</p> <p><i>Note: You can remove the web part from the page and the gallery before running the uninstall.</i></p>
<p>4. Add a property to the web part</p>	<p><i>Note: Now that the web part has been fully undeployed, you can make some modifications.</i></p> <p>a. Re-open Microsoft Visual Studio 2008: Start Programs Microsoft Visual Studio 2008 Microsoft Visual Studio 2008</p> <p>b. Select AdventureWorks.WebParts from the Start Page Recent Projects section.</p> <p>c. Open the HelloWorld.cs file.</p> <p>d. Add the following code block before the constructor (<code>public HelloWorld() { }</code>)</p> <pre>private const string defaultGreeting = "Hello Universe"; private string greeting = defaultGreeting; [WebBrowsable(true), SPWebCategoryName("AdventureWorks"), Personalizable(PersonalizationScope.Shared)] public string Greeting { get { return greeting; } set { greeting = value; } }</pre> <p>e. In the same file, change the value for label.Text to greeting:</p> <pre>label.Text = "greeting";</pre> <p>f. Save and close the file.</p> <p>g. Ensure you have uninstalled any previous installs of the AdventureWorks.WebParts.wsp solution, and that you have tidied up the web part page and the web part gallery (see previous task).</p> <p>h. Right-click the solution name Solution ‘AdventureWorks.WebParts’ (1 project) in the Solution Explorer window, and select Deploy.</p> <p>i. Browse to http://authoring.adventure-works.com/pages/wpp.aspx.</p> <p>j. Select Site Actions > Edit Page (if the Site Actions menu has disappeared, login again).</p>

Tasks	Detailed Steps
	<p>k. Click on the Add a Web Part button.</p> <p>l. On the Add Web Parts window, scroll down to the Miscellaneous section, select the Hello World Web Part, and click Add.</p> <p>m. For the web part, select edit Modify Shared Web Part.</p>  <p>n. In the Hello World Web Part panel in the right column, expand the AdventureWorks section.</p>  <p>o. Update the text for the Greeting, and click OK.</p> <p>p. The text has updated. Finish off by clicking the Publish button.</p>
<p>5. Explore Adventure Works using SharePoint Designer 2007</p>	<p><i>Note: Now you will browse the Adventure Works site structure using SharePoint Designer 2007.</i></p> <p>a. Select Start Menu All Programs Microsoft Office Microsoft Office SharePoint Designer 2007.</p> <p>b. In SharePoint Designer, select File > Open Site ...</p> <p>c. Enter http://authoring.adventure-works.com into the site name box and click Open.</p> <p><i>Note: When using SharePoint Designer, always use the Windows authentication version of the site, otherwise you may encounter problems.</i></p> <p>d. If prompted, login as litwareinc\administrator, password pass@word1.</p> <p>e. In the Folder List window, you can see the site structure. Expand the Pages</p>

Tasks	Detailed Steps
	<p>folders, and double-click default.aspx.</p> <p><i>Note: You will receive a warning that publishing pages cannot be edited in SharePoint Designer.</i></p> <p>f. Click the Edit Page Layout button.</p> <p>g. In the check out prompt, click the Yes button.</p> <p><i>Note: SharePoint Designer retrieves the page layout that the publishing page is using, checks it out and opens it for editing.</i></p> <p><i>The AWHomePage.aspx will open in the main screen, and the file will have a green tick to mark it as checked out.</i></p>  <p>h. To check in the file with changes, right-click default.aspx, and select Check In.</p> <p><i>Note: You can choose the check in as a major (public) or minor (draft) version.</i></p> <p>i. Exit SharePoint Designer 2007.</p>